



3D Measurement Data Management with I++ DMS

prostep ivip/VDA Recommendation

3D Measurement Data Management
with I++ DMS



Disclaimer

VDA/prostep ivip Recommendations (VDA/PSI Recommendations) are recommendations that are available for general use. Anyone using these recommendations is responsible for ensuring that they are used correctly. This VDA/PSI Recommendation gives due consideration to the prevailing state-of-the-art at the time of publication. Anyone using VDA/PSI Recommendations must assume responsibility for his or her actions and acts at her/his own risk. The prostep ivip Association, the VDA and the parties involved in drawing up the VDA/PSI Recommendation assume no liability whatsoever. We request that anyone encountering an error or the possibility of an incorrect interpretation when using the VDA/PSI Recommendation should contact the prostep ivip Association (psiissues@prostep.com) immediately so that any errors can be rectified.

Copyright

- I. All rights to this VDA/PSI Recommendation, in particular the copyright rights of use, and sale such as the right to duplicate, distribute or publish the recommendation, remain exclusively with the prostep ivip Association and the VDA as well as their members.
- II. This VDA/PSI Recommendation may be duplicated and distributed unchanged, for instance for use in the context of creating software or services.
- III. It is not permitted to change or edit this VDA/PSI Recommendation.
- IV. A suitable notice indicating the copyright owner and the restrictions on use must always appear.

Table of Contents

1 Preamble	2
2 Overview	3
3 Scope	4
3.1 Current status	4
3.2 Purpose of I++ DMS	4
3.3 Description of the use cases	5
3.4 Differentiation from other initiatives	7
3.4.1 Quality Measurement Standards (QMS) Committee	7
3.4.2 I++ Dimensional Measurement Equipment	8
3.5 Category of information technology	8
3.5.1 Service-oriented architecture	8
3.5.2 Web services	8
4 Use cases and processes	9
4.1 Creating digital product data	10
4.1.1 Overview of "Create Digital Product Data"	10
4.1.2 Description of "Create Digital Product Data"	10
4.1.3 Benefit of "Create Digital Product Data"	11
4.2 Creating an <i>InspectionPlan</i> (measurement plan)	11
4.2.1 Overview of "Create <i>InspectionPlan</i> "	11
4.2.2 Description of "Create <i>InspectionPlan</i> "	11
4.2.3 Benefit of "Create <i>InspectionPlan</i> "	12
4.3 Managing an <i>InspectionPlan</i>	12
4.3.1 Overview of "Manage <i>InspectionPlan</i> "	12
4.3.2 Description of "Manage <i>InspectionPlan</i> "	12
4.3.3 Benefit of "Manage <i>InspectionPlan</i> "	13
4.4 Creating an <i>InspectionProgram</i> (measurement program)	13
4.4.1 Overview of "Create <i>InspectionProgram</i> "	13
4.4.2 Description of "Create <i>InspectionProgram</i> (measurement program)"	13
4.4.3 Benefit of "Create <i>InspectionProgram</i> (measurement program)"	14
4.5 Performing an inspection	14
4.5.1 Overview "Perform Inspection"	14
4.5.2 Description of "Perform Inspection"	15
4.5.3 Benefit of "Perform Inspection"	16
4.6 Result analysis	16
4.6.1 Overview of "Result Analysis"	16
4.6.2 Description of "Result Analysis"	16
4.6.3 Benefit of "Result Analysis"	17
4.7 Creating a report	17
4.7.1 Overview of "Create Report"	17
4.7.2 Description of "Create Report"	17
4.7.3 Benefit of "Create Report"	17
4.8 Creating a catalog of measurement principles	18
4.8.1 Overview of "Create Measurement Principle Catalog"	18
4.8.2 Description of "Create Measurement Principle"	18
4.8.3 Benefit of "Create Measurement Principle"	18

Table of Contents

5 I++ DMS data model	18
5.1 Creation of the I++ DMS XML schema	18
5.2 Brief overview	19
5.2.1 Unique IDs	19
5.2.2 QA product structures	19
5.2.3 InspectionPlan	22
5.2.4 Inspection Plan Elements (IPE)	22
5.2.5 InspectionTasks	27
5.2.6 InspectionEffectivity	28
5.2.7 InspectionProgram	28
5.2.8 Quality criteria, tolerances and reference systems	28
5.2.9 Calculations and strategies	30
5.2.10 Grouping quality criteria and inspection plan elements (QCs and IPEs)	31
5.2.11 Company-specific extensions of I++ DMS	32
5.3 Transferring data via I++ DMS	32
5.3.1 Service-based data exchange	33
5.3.2 File-based data exchange	33

Figures

Figure 1 Measurement process covered by I++ DMS and I++ DME	2
Figure 2 Data flow in today's quality assurance process	4
Figure 3 I++ DMS as the foundation of an integrated process	5
Figure 4 I++ DMS reference process	6
Figure 5 Reference process with use cases	6
Figure 6 QIF Version 3.0 information architecture	7
Figure 7 Overview of 3D MDM use case	9
Figure 8 Swim lane diagram for "Create Digital Product Data"	11
Figure 9 Swim lane diagram for "Create <i>InspectionPlan</i> "	12
Figure 10 Swim lane diagram for "Manage <i>InspectionPlan</i> "	13
Figure 11 Swim lane diagram for "Create <i>InspectionProgram</i> "	14
Figure 12 Swim lane diagram for "Perform Inspection"	15

Figure 13	Swim lane diagram for "Result Analysis "	16
Figure 14	Swim lane diagram for "Create Report"	17
Figure 15	Swim lane diagram for "Create Measurement Principle"	18
Figure 16	Caption for all IPE figures	22
Figure 17	PE_Annulus	23
Figure 18	IPE_Bolt	23
Figure 19	IPE_Circle	23
Figure 20	IPE_Cone and IPE_TruncatedCone	23
Figure 21	IPE_CutPoint	23
Figure 22	IPE_EdgePoint	23
Figure 23	IPE_FlangedRoundHole and IPE_FlangedSlot	24
Figure 24	IPE_Geometric	24
Figure 25	Offset calculation for IPEs	24
Figure 26	IPE_HemiSphere	25
Figure 27	IPE_HighestPoint	25
Figure 28	IPE_Hole and subclasses	25
Figure 29	IPE_Hole and subclasses	25
Figure 30	IPE_Hole and subclasses	25
Figure 31	IPE_Keyhole	26
Figure 32	IPE_LimitedLine	26
Figure 33	IPE_LimitedPlane	26
Figure 34	RectangularPolygonalHole	26
Figure 35	IPE_RoundedRectangularHole	26
Figure 36	IPE_RoundHole	27
Figure 37	IPE_Slot	27
Figure 38	IPE_Sphere	27

List of annexes

Annex A: I++ DMS Documentation v3.0.zip

Annex B: I++ DMS Model v3.0.zip

Annex C: I++ DMS XML Schema v3.0.zip

Annex D: I++ DMS Service Definition v3.0.zip

Abbreviations and acronyms

Abbreviation	Meaning
ANSI	American National Standards Institute
CMM	Coordinate measuring machine
FDC	Functional dimension catalogue
I++	Inspection PlusPlus
I++ DME	Inspection PlusPlus Dimensional Measurement Equipment
I++ DMS	Inspection PlusPlus Data Management Services
ID	Identifier
IP	Inspection plan
IPE	Inspection plan element
ISO	International Organization for Standardization
MBD	Model-based definition
MDM	Measurement data management
NIST	National Institute of Standards and Technology
OEM	Original equipment manufacturer
PDM	Product data management
PLM	Product lifecycle management
PMI	Product and manufacturing information
PS	Product structure
QA	Quality assurance
QC	Quality criteria
QIF	Quality Information Framework
QMS	Quality management system
SOA	Service-oriented architecture
UML	Unified Modeling Language
VDA	Verband der Automobilindustrie (German Association of the Automotive Industry)
WSDL	Web Services Description Language
XML	Extensible Markup Language
XSD	XML Schema Definition

1 Preamble

A variety of measurement methods and equipment are used in the manufacturing industry today to ensure a specified level of product quality. These differ in functional properties such as way in which data is collected (contact or non-contact), the way in which measurement data is processed and in the level of integration with manufacturing equipment. In addition to typical properties such as precision and speed, their performance also differs in terms of the degree to which they can be integrated in cross-domain PLM processes. The multitude of devices and processes found in the manufacturing industry always presents a sizable challenge for the harmonization of processes and methods. The desire for a standardized interface for the flexible design of the measurement process, with its numerous participants and objects, is therefore a logical consequence. An object model is required that includes not just information on the product model but also the equipment and tools, as well as the relevant test and tolerance data (part of which is referred to as the product and manufacturing information), and its relation to the 3D geometry.

Given that the quality process is increasingly drawing-free, the digital representation of product data - referred to as the digital master and digital twin - has a key function in this context, too.

Cross-domain data management also gives rise to an additional need for powerful measurement data management. Here, factors such as data-related recording, digital master/twin, control of the measurement process as well as IT systems and interfaces play a role. Companies are hoping that this will bring about an increase in the level of process automation, improvements to the change process, further stabilization in the process, consistent quality statements, enhanced performance in individual process steps, and the early identification of process risks before they become a problem. This challenge was addressed collaboratively and in a timely fashion through the Inspection PlusPlus (I++) initiative.




Figure 1: Measurement process covered by I++ DMS and I++ DME

I++ DMS is an interface definition that emerged from the automotive sector's Inspection PlusPlus initiative and which has been further developed by representatives of the automotive and aerospace industries in the 3D Measurement Data Management Workflow Forum (3D MDM WF) and Implementor Forum (3D MDM IF) project groups. The interface definition describes an interface for exchanging information between software applications in the field of dimensional quality assurance. The description covers design, planning, programming, analysis and execution in the quality process.

I++ DMS takes a service-based approach and is primarily comprised of a UML information model and an XML schema that describes the model. This specification and its use in quality management systems are described in this document.