prostep ivip
Documentation

Referring to ReqIF1.2

ReqIF Implementation Guide

Version 1.6, 13 December 2018

Status: Released

© prostep ivip Association

Abstract

This specification is an additional, informal document concerning the OMG ReqIF1.2 standard.

It answers implementation specific questions that have intentionally been left out of the OMG ReqIF standard because they do not directly concern the exchange format but may be relevant for tool implementations.

© VDA, prostep ivip Association – All rights reserved

Disclaimer

This document is a prostep ivip Documentation (PSI Documentation), referring to ReqIF1.2. Those are freely available for all prostep ivip e.V. members. Anyone using these recommendations is responsible for ensuring that they are used correctly.

This PSI Documentation gives due consideration to the prevailing state-of-the-art at the time of publication. Anyone using PSI Documentations must assume responsibility for his or her actions and acts at their own risk. The prostep ivip Association and the parties involved in drawing up the PSI Documentation assume no liability whatsoever.

We request that anyone encountering an error or the possibility of an incorrect interpretation when using the PSI Documentations contact the prostep ivip Association (psi-issues@prostep.com) immediately so that any errors can be rectified.

Copyright

I. All rights on this PSI Documentation, in particular the copyright rights of use and sale such as the right to duplicate, distribute or publish the Documentation remain exclusively with the prostep ivip Association and its members.

II. The PSI Documentation may be duplicated and distributed unchanged, for instance for use in the context of creating software or services.

III. It is not permitted to change or edit this PSI Documentation.

IV. A suitable notice indicating the copyright owner and the restrictions on use must always appear.

© VDA, prostep ivip Association – All rights reserved

Contents

1 Introduction 7
1.1 Motivation and target of this specification 7
1.2 How to read this document 7
2 Recommendations 8
2.1 Naming conventions for ReqIF file extensions 8
2.2 Character Encoding of ReqIF XML files 8
2.3 Naming conventions for system attributes 8
2.4 How to handle read-only, automatically set system attributes 11
2.4.1 Problem statement 11
2.4.2 Rules 12
2.4.3 Typical exchange scenario 12
2.4.4 Different exchange scenario 13
2.5 How to interchange DOORS table information 13
2.5.1 Mapping the root node of the DOORS table 14
2.5.2 Mapping the rows and colums of the DOORS table 14
2.5.3 Summary of the example mapping 14
2.6 How to handle Embedded Objects 15
2.6.1 Problem Statement 15
2.6.2 General Considerations 16
2.6.3 Rules 16
2.7 Formatting conventions 17
2.8 How to represent a conversation identifier 18
2.9 How to represent links from/to external elements 19
2.10 How to deal with RelationGroup elements 20
2.11 How to deal with RelationGroupType elements 20
2.12 How to specify a maximum length for string datatypes, when the requirements authoring tool does not limit string length 21
2.13 Attribute handling in database vs. document oriented requirements authoring tools 21
2.14 How to simplify XHTML-content 22
2.15 How to deal with access policy data for SpecHierarchy elements 25
2.16 How to resolve conflicting isEditable values for AttributeDefinition-Enumeration 25
2.17 How to use xsi:schemaLocation in ReqIF XML documents 26
3 Annex 27
3.1 Links to ReqIF1.2 example files 27
3.2 Differences to prior RIF/ReqIF versions 27
3.2.1 Differences from OMG ReqIF1.0.1 to OMG ReqIF1.2 27
3.2.2 Differences from RIF1.2 to ReqIF1.2 27
3.2.3 Differences from RIF1.1a to ReqIF1.2 29
3.3 XML tags used in XHTML 32

© VDA, prostep ivip Association – All rights reserved

List of Figures

Figure 1: Naming conventions for system attributes 1/2 9
Figure 2: Naming conventions for system attributes 2/2 10
Figure 3: Typical exchange scenario for automatically set system attributes 12
Figure 4: Screenshot of DOORS table (root node) 14
Figure 5: Screenshot of DOORS table (rows and columns) 14
Figure 6: Issues concerning embedded objects 16
Figure 7: RIF1.1a “identifier” may be stored in "identifier" attribute of “AlternativeID” instance 29

© VDA, prostep ivip Association – All rights reserved

Abbreviations and Definitions

ReqIF:	Requirements Interchange Format
ReqIF tool:	A tool that exports ReqIF compliant XML documents from a source requirements authoring tool and/or imports them in a target requirements authoring tool.
Requirements authoring tool:	A tool used that is capable of creating and modifying requirements. In the context of this specification, this need not be a tool marketed as “Requirements Management Tool”.

© VDA, prostep ivip Association – All rights reserved