

Points to note about ReqIF exchange using ReqIF tools

Version 1.0, 06 November 2015

Status: Published



Abstract

This document describes peculiarities of ReqIF tools.

It is based solely on information provided by the implementers of these tools to the ProSTEP ReqIF implementor forum.

It is intended to be read by

- employees of companies using or planning to use one of the mentioned tools, in order to get informed about the tools, or
- anybody else interested in the peculiarities of the ReqIF tools in practice.

Disclaimer

This document is a ProSTEP iViP Documentation (PSI Documentation), referring to ReqIF1.1. Anyone using these recommendations is responsible for ensuring that they are used correctly.

This PSI Documentation gives due consideration to the prevailing state-of-the-art at the time of publication. Anyone using PSI Documentations must assume responsibility for his or her actions and acts at their own risk. The ProSTEP iViP Association and the parties involved in drawing up the PSI Documentation assume no liability whatsoever.

We request that anyone encountering an error or the possibility of an incorrect interpretation when using the PSI Documentations contact the ProSTEP iViP Association (psi-issues@prostep.com) immediately so that any errors can be rectified.

Copyright

- I. All rights on this PSI Documentation, in particular the copyright rights of use and sale such as the right to duplicate, distribute or publish the Documentation remain exclusively with the ProSTEP iViP Association and its members.
- II. The PSI Documentation may be duplicated and distributed unchanged, for instance for use in the context of creating software or services.
- III. It is not permitted to change or edit this PSI Documentation.
- IV. A suitable notice indicating the copyright owner and the restrictions on use must always appear.

Document History

Version	Date (dd.mm.yyyy)	Author	Change
0.1	20.10.2015	Bertil Muth	Initial document
0.2	28.10.2015	Bertil Muth	Added information about Requisis
0.3	28.10.2015	Bertil Muth	Small change provided by ReqTeam
0.4	04.11.2015	Bertil Muth	Added IBM DOORS and PTC data
1.0	05.11.2015	Max Ungerer	Edited for publication

Authors

Name	Company	Initial	email	Telephone
Bertil Muth	HOOD GmbH	BM	Bertil Muth@HOOD-Group.com	

Contents

1 Overview of the ReqIF tools	8
2 Asaro System Integrator 2015.1 with Siemens Teamcenter 10.1.2.1	9
2.1 Importing Attribute Values	9
2.2 Importing Tables	9
2.3 Importing RelationGroups	9
2.4 Importing SpecRelations	9
3 formalmind Studio 1.0	10
3.1 Background	10
3.2 Compatibility	10
3.3 Import and Export	10
3.4 Working with ReqIF	10
3.4.1 Tables	10
3.4.2 Rendering Rich Text	10
3.4.3 Cross-File Linking	10
3.5 More Information and Contact	10
4 IBM DOORS 9.6.1.4	11
4.1 Points relevant to the ReqIF data exchange content	11
4.2 Points relevant to the DOORS data model	11
5 IBM DOORS Next Generation 6.0.1	12
5.1 Attributes on links must be imported as attributes on requirements data	12
5.2 DOORS link modules converted to fully fledged “link types”	12
5.3 Soft-deleted DOORS objects are imported as annotated artefacts	12
5.4 Floating-point values are displayed as rounded to 3 decimal points	12
6 PTC Integrity Requirements Connector 3.0 M020	13
6.1 Background	13
6.2 Compatibility	13
6.3 ReqIF	13
6.3.1 Multiple SPECIFICATIONS	13
6.3.2 Access rights	13
6.3.3 RELATION-GROUPS	13
6.3.4 Rich Text	13
6.3.5 Multiple SPEC-OBJECTS	13
6.3.6 ACCURACY	13
6.4 IBM DOORS Limitations	13
6.5 PTC Integrity Lifecycle Manager Limitations	13
6.6 More Information	13
7 ReqTeam ReqEdit 2.8	14
7.1 Background	14



- 7.2 Compatibility 14
- 7.3 Limitations..... 14
- 8 REQUISIS requisis_ReX 2.12 15
 - 8.1 Background..... 15
 - 8.2 Notes on ReqIF 15
 - 8.2.1 Multiple SPECIFICATIONS per ReqIF File are not supported 15
 - 8.2.2 Access rights, via IS-EDITABLE are not supported..... 15
 - 8.2.3 Links have to be included in RELATION-GROUPS..... 15
 - 8.3 IBM DOORS Limitations 15
 - 8.4 More Information..... 15

Abbreviations and Definitions

ReqIF:	Requirements Interchange Format
ReqIF tool:	A tool that exports ReqIF compliant XML documents from a source requirements authoring tool and/or imports them in a target requirements authoring tool.
Requirements authoring tool:	A tool used that is capable of creating and modifying requirements. In the context of this specification, this need not be a tool marketed as “Requirements Management Tool”.