

# **ReqIF Implementation Guide**

Version 1.8, 22 December 2021

Status: Draft



## **Abstract**

This specification is an additional, informal document concerning the OMG ReqIF1.2 standard.

It answers implementation specific questions that have intentionally been left out of the OMG ReqIF standard because they do not directly concern the exchange format but may be relevant for tool implementations.

## Disclaimer

This document is a prostep ivip Documentation (PSI Documentation), referring to ReqIF1.2. Those are freely available for all prostep ivip e.V. members. Anyone using these recommendations is responsible for ensuring that they are used correctly.

This PSI Documentation gives due consideration to the prevailing state-of-the-art at the time of publication. Anyone using PSI Documentations must assume responsibility for his or her actions and acts at their own risk. The prostep ivip Association and the parties involved in drawing up the PSI Documentation assume no liability whatsoever.

We request that anyone encountering an error or the possibility of an incorrect interpretation when using the PSI Documentations contact the prostep ivip Association ([psi-issues@prostep.com](mailto:psi-issues@prostep.com)) immediately so that any errors can be rectified.

## Copyright

- I. All rights on this PSI Documentation, in particular the copyright rights of use and sale such as the right to duplicate, distribute or publish the Documentation remain exclusively with the prostep ivip Association and its members.
- II. The PSI Documentation may be duplicated and distributed unchanged, for instance for use in the context of creating software or services.
- III. It is not permitted to change or edit this PSI Documentation.
- IV. A suitable notice indicating the copyright owner and the restrictions on use must always appear.

## Contents

1 Introduction .....	7
1.1 Motivation and target of this specification .....	7
1.2 How to read this document .....	7
2 Recommendations .....	8
2.1 Naming conventions for ReqIF file extensions .....	8
2.2 Character Encoding of ReqIF XML files .....	8
2.3 Naming conventions for system attributes .....	8
2.4 How to handle read-only, automatically set system attributes .....	11
2.4.1 Problem statement .....	11
2.4.2 Rules .....	12
2.4.3 Typical exchange scenario .....	12
2.4.4 Different exchange scenario .....	13
2.5 How to interchange DOORS table information .....	13
2.5.1 Mapping the root node of the DOORS table .....	14
2.5.2 Mapping the rows and columns of the DOORS table .....	14
2.5.3 Summary of the example mapping .....	14
2.6 How to handle Embedded Objects .....	15
2.6.1 Problem Statement .....	15
2.6.2 General Considerations .....	16
2.6.3 Rules .....	16
2.7 Formatting conventions .....	17
2.8 How to represent a conversation identifier .....	18
2.9 How to represent links from/to external elements .....	19
2.10 How to deal with RelationGroup elements .....	20
2.11 How to deal with RelationGroupType elements .....	20
2.12 How to specify a maximum length for string datatypes, when the requirements authoring tool does not limit string length .....	21
2.13 Attribute handling in database vs. document oriented requirements authoring tools .....	21
2.14 How to deal with missing attribute values and default values .....	22
2.15 How to reimport a previously imported specification when requirements were deleted .....	22
2.16 Values of the accuracy attribute of DatatypeDefinitionReal .....	22
2.17 How to simplify XHTML-content .....	22
2.18 How to deal with access policy data for SpecHierarchy elements .....	26
2.19 How to resolve conflicting isEditable values for AttributeDefinition-Enumeration .....	26
2.20 How to use xsi:schemaLocation in ReqIF XML documents .....	26
3 Annex .....	28
3.1 Links to ReqIF1.2 example files .....	28
3.2 Differences to prior RIF/ReqIF versions .....	28
3.2.1 Differences from OMG ReqIF1.0.1 to OMG ReqIF1.2 .....	28



3.2.2 Differences from RIF1.2 to ReqIF1.2 ..... 28

3.2.3 Differences from RIF1.1a to ReqIF1.2 ..... 30

3.3 XML tags used in XHTML ..... 33

**List of Figures**

Figure 1: Naming conventions for system attributes 1/2 .....9

Figure 2: Naming conventions for system attributes 2/2 .....10

Figure 3: Typical exchange scenario for automatically set system attributes .....12

Figure 4: Screenshot of DOORS table (root node) .....14

Figure 5: Screenshot of DOORS table (rows and columns) .....14

Figure 6: Issues concerning embedded objects .....16

Figure 7: RIF1.1a “identifier” may be stored in "identifier" attribute of “AlternativeID” instance .....30

Abbreviations and Definitions

ReqIF:	Requirements Interchange Format
ReqIF tool:	A tool that exports ReqIF compliant XML documents from a source requirements authoring tool and/or imports them in a target requirements authoring tool.
Requirements authoring tool:	A tool used that is capable of creating and modifying requirements. In the context of this specification, this need not be a tool marketed as “Requirements Management Tool”.