prostep ivip/VDA



ReqIF Benchmark 2021/2022 Long Report

Version 1.0, 23.12.2022

Status: final





Abstract

Requirements Management (RM) has been established to ensure seamless specifications along the product creation process. To manage complex specification processes and requirements dependencies companies introduced requirements management systems. The generic "Requirement Interchange Format (RIF)" was created to enable the exchange of information across different requirements management systems.

In summer 2008 the prostep ivip association initiated the project group IntRIF to increase the acceptance and application of RIF by transferring the recommendation into an international standard. With the successful standardization in April 2011 OMG ReqIF 1.0.1 has been published as the official successor of RIF.

Two project groups are currently working on the enhancement of the format and its application. In 2011 the ReqIF Implementor Forum was established for realizing a strong technological basis. In 2016 the community of user representatives then consequently made the next step: Specifying relevant use cases for ReqIF application in industry.

To evaluate the feasibility of requirement data exchange with ReqIF, benchmarks are conducted, the very first in 2018. The benchmarks were well received by the users and implementers, as they provided valuable information for the usage and further development of requirement management tools. In this fourth benchmark, the tested scenario is a customer/supplier data exchange with comments on supplier and updates on customer side. With 6 participating software providers, there were a total of 9 participating RM-systems and connectors that were tested in 72 different tool combinations. The benchmark was run at prostep ivip site with support of the participating software providers. The criteria and test data were defined by the ReqIF Workflow Forum.

Disclaimer

This document is a prostep ivip Documentation (PSI Documentation). Those are freely available for all prostep ivip e.V. members and VDA members. Anyone using these recommendations is responsible for ensuring that they are used correctly.

This PSI Documentation gives due consideration to the prevailing state-of-the-art at the time of publication. Anyone using PSI Documentations must assume responsibility for his or her actions and acts at their own risk. The prostep ivip Association and the parties involved in drawing up the PSI Documentation assume no liability whatsoever.

We request that anyone encountering an error or the possibility of an incorrect interpretation when using the PSI Documentations contact the prostep ivip Association (psi-issues@prostep.org) immediately so that any errors can be rectified.

Copyright

- I. All rights on this PSI Documentation, in particular the copyright rights of use and sale such as the right to duplicate, distribute or publish the Documentation remain exclusively with the prostep ivip Association and its members.
- II. The PSI Documentation may be duplicated and distributed unchanged, for instance for use in the context of creating software or services.
- III. It is not permitted to change or edit this PSI Documentation.
- IV. A suitable notice indicating the copyright owner and the restrictions on use must always appear.

Contents

Table of Contents

1 Introduction	1
2 Approach	1
2.1 Four Steps	1
2.2 Scenario: Data Exchange with Changes and Linked Artefacts (PING-PONG-PING)	3
2.3 Participants	4
2.4 Reference File	7
2.5 Test Criteria	11
2.6 Testing	13
2.7 Documentation	14
3 Results	14
3.1 Overview	14
3.1.1 Setup	14
3.1.2 Overview Ping 1	15
3.1.3 Overview Pong	21
3.1.4 Overview Ping 2	26
3.2 Detailed Results	34
3.2.1 Ping 1 Results	34
3.2.2 Pong Results	47
3.2.3 Ping 2 Results	53
4 Summary and Outlook	67
5 Acknowledgements	67
Figures	
Figure 1: Process and Actors	2
Figure 2: Ping-Pong-Ping Scenario	3
Figure 3: Ping-Pong-Ping Scenario step by step	4
Figure 4: Formatted text in reference file	7
Figure 5: Links between modules A and B	7
Figure 6: Links between modules B and C	8
Figure 7: Links between modules A and B before Ping 2	
Figure 8: Document files embedded in ReqIF module	9
Figure 9: Image files embedded in ReqIF module	

Figure 10: Adding and removing requirements	10
Figure 11: Changes of requirement's text, attributes and type definition	10
Figure 12: Changes in document structure	10
Figure 13: Results for completeness of reference import	14
Figure 14: Results for validity of first export to ReqIF	15
Figure 15: Results for completeness of first import to supplier RM-system	16
Figure 16: Results for exchange of font styles	16
Figure 17: Results for exchange of simple indentations	17
Figure 18: Results for exchange of simple numbered lists	17
Figure 19: Results for exchange of simple bullet points	18
Figure 20: Results for exchange of simple tables	18
Figure 21: Results for exchange of embedded document files (excl. Visio)	19
Figure 22: Results for exchange of Visio files	19
Figure 23: Results for exchange of embedded image files (excl. png)	20
Figure 24: Results for exchange of png files	20
Figure 25: Results for exchange of requirement links	21
Figure 26: Results for validity of supplier export to ReqIF	22
Figure 27: Results for changes indicated on import to customer RM-system	22
Figure 28: Results for changes in supplier status	23
Figure 29: Results for changes in supplier comment	23
Figure 30: Results for image attached in supplier comment	24
Figure 31: Results for capability to import selected attributes to customer RM-system	24
Figure 32: Results for capability to export selected attributes from supplier RM-system	25
Figure 33: Results for no further changes after re-import to customer RM-system	25
Figure 34: Results for validity of second export to ReqIF	26
Figure 35: Results for change of requirement text	27
Figure 36: Results for change of attribute values	27
Figure 37: Results for change of attribute values to empty values	28
Figure 38: Results for change of enumeration definition of attribute type	28
Figure 39: Results for exchange of added requirement	29
Figure 40: Results for exchange of missing requirement	29
Figure 41: Results for exchange of changed document structure	30
Figure 42: Results for exchange of updated links	30
Figure 43: Results for changes indicated on import to supplier RM-system	31
Figure 44: Results for no further changes after re-import to supplier RM-system	31

Figure 45: Results for changes in customer status	32
Figure 46: Results for changes in customer comment	32
Figure 47: Results for exchange of simple numbered lists (Ping 2)	33
Figure 48: Results for exchange of simple tables (Ping 2)	33
Tables	
Table 1: Tested software	4
Table 2: Test case matrix	6
Table 3: Test Criteria	11
Table 4: Ping 1 results for reference import and validity/completeness	34
Table 5: Ping 1 results for exchange of formatted text	37
Table 6: Ping 1 results for exchange of embedded document files	40
Table 7: Ping 1 results for exchange of embedded image files	42
Table 8: Ping 1 results for exchange of linked requirements	45
Table 9: Pong results for validity, identification of changes and changes in supplier attributes	49
Table 10: Pong results for customer attributes unchanged, capability to export selected attributes further changes	
Table 11: Ping 2 results for validity, change of requirement text, attribute values and attribute type d	
Table 12: Ping 2 results for added requirement, removed requirement and changed document struc	ture57
Table 13: Ping 2 results for update of links and identification of changes	61
Table 14: Ping 2 results for no further changes and capability to edit and exchange customer attribu	tes63
Table 15: Results for recheck of open points of Ping 1 within Ping 2	66

1 Introduction

Requirements Management has been established to ensure seamless specifications along the product creation process. To manage complex specification processes and requirements dependencies companies introduced requirements management systems (RM-systems).

To support a proper requirements exchange between partners using different tools, the project group "Simulation and Tools" of the HIS (Hersteller Initiative Software) specified the generic "Requirement Interchange Format (RIF)".

In summer 2008 the prostep ivip association initiated the project group IntRIF to increase the acceptance and application of RIF by transferring the recommendation into an international standard. With the successful standardization in April 2011 OMG ReqIF 1.0.1 has been published as the official successor of RIF.

prostep ivip established two project groups to further drive the ReqIF format:

The goal of the ReqIF Implementor Forum (ReqIF-IF) is to ensure interoperability between different ReqIF-based implementations. Therefore, the ReqIF-IF works very tight together with the newly established ReqIF Workflow Forum (ReqIF-WF).

In 2016, the community of relevant user representatives consequently made the next step: Specifying relevant use cases for ReqIF application in industry.

Thus, the major aim of the prostep ivip / VDA ReqIF-WF is to specify use cases as well as reference processes (customer-customer, customer-supplier etc.) and, related to this, deriving process requirements and test cases. The work is performed in close collaboration with the ReqIF Implementor Forum.

To evaluate the feasibility of requirement data exchange with ReqIF, benchmarks are conducted, the very first in 2018. The benchmarks were well received by the users and implementers, as they provided valuable information for the usage and further development of requirement management tools.

In this fourth benchmark, the tested scenario is a customer/supplier data exchange with comments on supplier and updates on customer side. With 6 participating software providers, there were a total of 9 participating RM-systems and connectors that were tested in 72 different tool combinations. The benchmark was run at prostep ivip site with support of the participating software providers. The criteria and test data were defined by the ReqIF Workflow Forum.

Goal of the benchmarks is a neutral evaluation of the current capabilities in requirement data exchange with ReqIF. Additionally, issues that require further development of either the format itself or of the tested software tools will be identified and addressed.

2 Approach

The following sections describe the basic conditions for the benchmark.

2.1 Four Steps

Based on lessons learned from previous benchmarks, the ReqIF Workflow and ReqIF Implementor Forum agreed on the following four-step approach:

- 1. The ReqIF Workflow Forum clarified the target intent for the benchmark and provided details on the expected outcome.
- 2. The software providers made proposals for the ReqIF file scope, configuration settings and evaluation approach which in their eyes would best fit the requirements.